Notice of Allowability	Application No.	Applicant(s)
	10/679,352	MOROHASHI ET AL.
	Examiner	Art Unit
	Joseph A. Dillon, Jr.	3651
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 12/20/04.		
2. 🗵 The allowed claim(s) is/are <u>10</u> .		
3. ⊠ The drawings filed on <u>07 October 2003</u> are accepted by the Examiner.		
4.		
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☑ Examiner's Amendr	e

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Pieprz on 2/2/05.

- The application has been amended as follows:
 Claim(s) 11 has been canceled.
- 3. Claim(s) 1-10 are allowed.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph A. Dillon, Jr. whose telephone number is (703)305-9728. The examiner can normally be reached on 8-5:30, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Ellis can be reached on (703)308-2560. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3651

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JD

PRIMARY PATENT EXAMINER

10/679,352

Boolean(s)

Ex. Joe Dillon, Jr.

2/2/05

((convergent-divergent convergent/divergent (convergent adj divergent) converging-diverging converging/diverging (converging adj diverging)) adj (nozzle ejector eductor venturi)) same (pneumatic gas fluid air)